

BUSEFAS

Buserelin Acetate 0.0042mg Eq. to 0.004mg Buserelin

Busefas — For Precision-Controlled Breeding Programs

GnRH Analogue



KEY BENEFITS:

- Improved Conception Rates
- Synchronized Estrus for Better Breeding Timing
- Reduced Calving Intervals
- Increased Reproductive Efficiency
- Safe & Easy to Administer





COMPOSITION:

Each ml contains Buserelin Acetate 0.0042 mg equivalent to Buserelin 0.004 mg

PRODUCT DESCRIPTION:

Busefas Injection is a potent synthetic analogue of Gonadotropin-Releasing Hormone (GnRH). It acts directly on the anterior pituitary gland, promoting the release of FSH and LH. This dual hormonal release regulates follicular development, induces ovulation, and supports luteal formation which is crucial for successful reproduction.

MODE OF ACTION:

Upon administration, Buserelin Acetate mimics endogenous GnRH, triggering a surge of LH and FSH within 1-2 hours. This hormone surge induces ovulation of dominant follicles and promotes luteal development. In cattle, ovulation typically occurs 24-28 hours post-injection, enhancing conception rates when timed with AI or natural service.

Cattle, Buffalo, Sheep & Goats

- Initiation of ovarian cyclicity post-partum.
- Management of ovarian follicular cysts.
- Treatment of silent heat or anestrus.
- Improvement of conception rates during Al.
- Estrus synchronization alongside prostaglandin protocols.

Horses (Mares)

- Control of ovulation to coordinate with planned breeding.
- · Improvement of fertility outcomes.
- Treatment of persistent follicular structures.

WITHDRAWAL PERIOD:

Milk: 0 days Meat: 0 days

DOSAGE & ADMINISTRATION: BY INTRAMUSCULAR (IM) OR INTRAVENOUS (IV) INJECTION

Cattle & Buffalo		Mares		Sheep & Goats	
Purpose	Dose	Purpose	Dose	Purpose	Dose
Induction of ovulation	2.5ml	Induction of ovulation	5 ml twice, 24 hours apart	Induction of ovulation	1ml
Estrus synchronization	2.5ml	Improve conception after AI/mating	5-10 ml (8-12 days post-insemination)	Estrus synchronization	1ml
Treatment of follicular cysts	5ml			Treatment of follicular cysts	1ml

PRECAUTIONS:

Do not freeze the product. Store in a cool, dry place below 30°C. Use aseptic techniques during administration. Keep out of reach of children.

PACKING: 2.5ml

FOR VETERINARY USE ONLY

صرف جانور دول کے استعمال کیلیائے

Marketed By:



© DIVERSIFIED MARKETING GROUP

Tel: +92-51-4841116, 4843225-6,Fax: +92-51-4427273 www.dmgpak.com بوسيفاس كااستعال:

انڈہ خارج کروانے کے لیے (Ovulation) جانور کو ہیٹ (Estrus) میں لانے کے لیے

: ہیٹ کومطلوبہ وقت پرلانے کے لیے (Synchronization)

فالیکیولرسٹ (Follicular cyst) کے علاج کے لیے

قاتیکیو کر سٹ (Follicular cyst)کے علاق کے لیے

حمل تھہرنے کی شرح (Conception rate) کو بہتر بنانے کے لیے

احتياطی تدابير:

دواکو 30 ڈ گری سینٹی گریڈ کے در میان، ٹھنڈی اور خشک جگہ پرر تھیں۔استعال سے پہلے اچھی طرح ہلائیں۔ تمام دوائیں بچوں کی پہنچ سے دورر تھیں۔ویٹر نری ڈاکٹر کی ہدایت کے مطابق استعال کریں۔