



OXY-LOXY

OXYTETRACYCLINE
FLUNIXIN MEGLUMINE

Infection Control with Fever & Pain Relief



OXY-LOXY

INJECTION

COMPOSITION:

Each ml contains
Oxytetracycline HCl300mg
Flunixin as Meglumine.....20mg

PRODUCT DESCRIPTION:

Oxy-Loxy injection is a unique, powerful, dual-action formula combining Oxytetracycline, a broad-spectrum antibiotic, with Flunixin Meglumine, a rapid-acting antipyretic and anti-inflammatory agent. It delivers effective control against Gram-positive and Gram-negative aerobic and anaerobic bacterial infections, while quickly relieving fever, pain, and inflammation. It is an ideal choice for faster recovery and enhanced animal well-being.

INDICATIONS:

OXY-LOXY injection is primarily indicated for the treatment of respiratory diseases associated with *Pasteurella* and *Mannheimia* species. In addition, it has a wide spectrum against organisms such as *Corynebacterium*, *Staphylococcus* and *Mycoplasma* and Protozoal diseases like *Anaplasma*, *Babesia* and *Theileria*.

DOSAGE AND ADMINISTRATION:

Cattle, Sheep and Goat:

1ml per 10kg body weight by intramuscular route.

WITHDRAWAL PERIOD:

Milk: 8 days Meat: 35 days

PRECAUTIONS:

A maximum of 15 ml can be administered per injection site. Use different injection site when giving additional treatments concurrently. It should be administered wisely in pregnant animals. Shake well before use. Keep out of reach of children. Store below 30°C in dark and dry place. Consult a veterinarian before use.

PACKING: 50ml and 100ml

FOR VETERINARY USE ONLY

صرف جانوروں کے استعمال کیلئے

اوکسی-لوکسی

اجزائے ترکیبی:

ہر ملی لیٹر میں موجود ہے۔
آکسی ٹیٹراسائیکلین300 ملی گرام
فلونیکزن میگلو مائن20 ملی گرام

علامات:

اوکسی لوکسی انجکشن آنٹنوں کی سوزش، نمونیہ، اسہال، تھنوں کی سوزش، کھانسی، بخار، سی آر ڈی اور گل گھوٹوں کے خلاف انتہائی مفید ہے۔ اس کے علاوہ فلونیکزن میگلو مائن کی موجودگی ان بیماریوں میں درد، سوجن اور بخار جیسی شکایات سے بھی مکمل نجات دلاتی ہے۔

خوراک و طریقہ استعمال:

مویشوں میں 1 ملی لیٹر فی 10 کلو گرام جسمانی وزن کے مطابق پٹھوں میں صرف ایک مرتبہ لگائیں۔

احتیاطی تدابیر:

دوا کو 30 ڈگری سینٹی گریڈ سے کم، ٹھنڈی اور خشک جگہ پر رکھیں۔
تمام دوائیں بچوں کی پہنچ سے دور رکھیں۔
دوا کو مستند ویٹرنری ڈاکٹر کے نسخے کے مطابق استعمال کریں۔

Marketed By:



DIVERSIFIED MARKETING GROUP

Tel: +92-51-4841116, 4843225-6, Fax: +92-51-4427273
www.dmgpak.com